



typ modelu:
BCB312AAI

Kod handlowy:
39646

Informacje Główne

Przewodnik Dokumentacji Technicznej


Możesz tutaj odnaleźć podstawowe informacje ułatwiające korzystanie z dokumentacji technicznej

1. Modele tej samej gamy posiadają wspólne rysunki, które przedstawiają najbogatszy zestaw części; generalnie wybrany model niekoniecznie posiadać będzie w spisie części wszystkie pozycje przedstawione na rysunku
 2. Niektóre części nie mogą być przedstawione bezpośrednio na rysunku (instrukcje użytkownika, zestawy montażowe itd.). Można je odnaleźć w liście części pod pozycją gdzie są zainstalowane lub pod pozycją 09
 3. W prawym górnym rogu każdego rysunku widnieje numer seryjny wskazujący początek produkcji danej gamy urządzeń. Niektóre modele mogą posiadać więcej niż jeden rysunek dla podanej kategorii, każdy inny dla różnych numerów seryjnych.
 4. Rysunki złożeniowe mogą wymagać dalszych uaktualnień po ich publikacji. Nowe części zostaną dodane do odpowiednich oznaczeń numerycznych rysunku. Oznaczenie kodowe modyfikacji rysunku zawarte jest w ostatnich 4 cyfrach numeru seryjnego przedstawionego w prawym górnym rogu rysunku.
 5. Lista części odnosząca się do danego rysunku zawiera spis części tylko dla wybranego modelu; dostępne są dodatkowe informacje dla każdej części.
- REF. Numer referencyjny do tabeli; SUBSTITUT: lista części które zastępują dany kod zachowując takie same charakterystyki funkcjonalne
- KOD HANDLOWY: lista wariantów modelu (pokazana w nazwie modelu) gdzie dana część jest zastosowana; UWAGA: kod informacji potrzebny do interwencji, prześledź zmiany aby poprawnie ustalić kod części
6. Niektóre notatki techniczne są ogólne dla danej sekcji, zatem nie mogą być związane tylko konkretną częścią. Aby poruszać się w dokumentacjach modelu sprawnie, pomocne jest czytanie notatek i monitorowanie uaktualnień dokumentacji.
 7. Okładka dokumentacji technicznej przedstawia model sprzętu oraz jego kod handlowy.

52220R0

rysunki

2006 Matr. 604 300004



52220R0

52220R0

Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
000	C00142083				printed sheet (installation)		
000	C00145539				user instructions bookletes		47396460000
000	C00145547				user instructions bookletes		47396460100
001	C00097074				hinge pin - lower m8x7-23 zncr		
002	C00144558				daszek-zawias biał. (lxl) 540x90-		
003	C00144354				profile for glass shelf - rear		
004	C00144356				półka szklana (z prowad.)		
005	C00144362				profil przedni ripano szkło		
006	C00086382				pokrywa pojem. na mięso 44-		
007	C00086381		10123...	1 x C00283755	pojemnik na mięso kolor		
007	C00283755	10124...			pojemnik na mięso kolor cristal	n3010j01	
008	C00144426			1 x C00280888	szkło pokrywy pojemn. na		
009	C00144431				profil pokrywy poj. na warzyw.		
010	C00145254		10123...	1 x C00283220	kit crisper box (wxh) 230x15	n3010j01	
010	C00283220	10124...			kit crisper box (wxh) 230x15	n3010j01	
011	C00041957				zamknięcie zatrzaskowe biał.		
012	C00041958				zamknięcie zatrzaskowe biał. lew.		
013	C00145248		10123...	1 x C00283231	freezer flap-44 (lhx) 384x162x25	n3010j01	
013	C00283231	10124...			freezer flap-cristal (lhx)	n3010j01	
014	C00014612				ekspander		
015	C00144451			1 x C00254348	pojemnik na lód (lhx) 303x54		
016	C00145246		10123...	1 x C00283232	pojemnik środkowy pw/44 (lhx)	n3010j01	
016	C00283232	10124...			pojemnik środkowy	n3010j01	
017	C00145247		10123...	1 x C00283233	pojemnik dol. pw/44	n3010j01	
017	C00283233	10124...			pojemnik dol.	n3010j01	
018	C00003261				skrobak do lodu (730412)		
020	C00144439				cokół biały lhx 538x44x30,5		
021	C00032099				sworzeń zaw. gór.-doln. m8x5-26		
022	C00046893				hinge lower lh/rh - white		
023	C00021590		61016...		profil pionowy biały pvc		
024	C00075194				clip fastex (54-1949-1100)		
025	C00075193				uszczelnienie-drain freezer biał.		
026	C00075106				wspornik montaż. boczny (zn)		
027	C00017812			1 x C00032099	hinge pin (m8x5-20)		
028	C00075107				zawias środkowy rotozn'krf3100a'		

52220R0


Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
029	C00045965				skrobak do chłodziarki		
034	C00142291		01212...		set wine area blue 247x297	n3011b05	
034	C00283442	01213...			set wine area transparent 247x297	n3011b05	
099	C00113975				installation kit - plastic		

52221L0

rysunki

2006 Matr. 60412.0002



52221L0

52221L0


Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
001	C00141802				uszcz. drzwi chłodz. pw		
002	C00046890				tulejka kw. praw b.26 25x25'bez		
002	C00046891				tulejka kw. lew b.26 25x25'bez		
003	C00022154				podkładka plastikowa biała		
003	C00028951				podkładka plastikowa biała		
003	C00041990				podkładka plastikowa biała		
004	C00087291				drzwi chłodz. b26/gmb/style		
005	C00113700				guide slide door rail short nylo		
006	C00113698				slide door rail long(wood door		
010	C00144447				drzwi zamraż. pw/lux		
011	C00141810				uszczel.drzwi freezer pw 530x593		
012	C00145253			1 x C00256121	kit hinged box cover(w.443) clear		
013	C00090981				egg tray		
015	C00145250				pojemnik na col.44 niebieski		
016	C00145251			1 x C00195567	kit półeczka środkowa		
018	C00145252			1 x C00145578	półka na butelki clear-44 (eco)		

52222K0

rysunki

2006 Matr. 60430.0001



52222K0

52222K0

Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
001	C00054000				oprawka do		
002	C00006522				żarówka 220-240v/15w (e14)		
002	C00091912				light deflection folio (50x100)		
003	C00031233				oprawka żarówki(libero		
004	C00092774				wyłącznik światła deka 250v nc		
005	C00145441		70909...		termostat 077b-6970 c.post		
005	C00259135	70910...			termostat 077b-6970 center		
006	C00075170				forma boczn. biały. 102x52/60 mm		
007	C00099228				dashboard control panel		
008	C00088521				zatyczka biały. p (panel)		
008	C00088522				zatyczka biały. l (panel)		
009	C00099226				thermostat knob white		
010	C00075169				osłona zawiasu biała lxx		
016	C00144507				parownik zamrażalnik lxx		
017	C00144509				ogranicz. płyty pw. praw.		
018	C00014612				ekspander		
019	C00144510				profil biały lxx 376x16,5x19 mm		
020	C00144508				ogranicz. płyty pw lew.		
022	C00008598				kabel zasil.3x0,75 eu mm 2500		
023	C00144816				kondensator roboczy 4mf (8mm)		
025	C00057840				rubber shock absorber		
026	C00094239			1 x C00092270	kompraw. htk95aa 220-240/50		
027	C00008727				rura doprowadzająca de.5,8x180		
027	C00043021				rura lokring z zaworem (6 nfmssv)		
028	C00114695				zbiorn.skropl. 209x175x58		
028	C00118844				gąbka przyklej. nf/electronici-		
028	C00283188				gąbka przyklej. 30x60x3		
029	C00045265				filtr tl.12 (d.1,95/d.4mm) gaz.		
031	C00083321				condenser imat wxh 535x1300		
032	C00094418				stop mains supply cable		

Notatki

0522067: SEALS FOR DOORS FOAMED AS ONE PIECE

Various types of gaskets with different profile, as shown in figures (A) and (B), are used to fix the door (fig. A-5; B-5) and the inner door (fig. A-6; B-6) on the block foamed doors of combined freezers and refrigerators.

---Ilpea profile 245; 179; 412 (fig.A)

---Ilpea profile 287 (fig.B)

When replacing gaskets with profiles 245; 179; 412 these are fixed with screws (2 per corner) to the door.

Gaskets with profile 287 can not be used as spare parts but are designed to house the Ilpea type 900 gaskets (see figure C).

When replacing the gasket (287), once it is removed you will find a pocket (fig. B-1) between the door and inner door.

The rigid tooth (fig.C-1) of the gasket (900) is inserted inside between the pocket and the inner door, doing away with the need for screws.

Gasket with profile 287 is easy to identify since it has an exterior double edge (fig.B-2) which acts as a cushion when the door is closed.

To replace this gasket, follow these steps:

---Dismount the door and cut the four corners of the gasket along the joint (fig.D);

---lift the gasket and pull it carefully along its full length without tearing it (fig.E).

The purpose here is to detach the inner door slightly from the foam along the exterior edge for a depth equal to that of the gasket (fig.B-3);

---lift the corner of the inner door slightly, prising it up with your thumb (fig.F). Do not use a tool which might break the inner door;

---continue cutting the gasket inside the inner door for about 6 mm (fig.G);

---push in the tip of the pliers (type USAG N131) and pull outwards until you see the top edge of the pocket (fig. B-4) which is empty (fig.H-1);

---if you carry out this operation correctly (fig.L) you will be able to pull off the top edge of the pocket for the full length of the door.

If the gasket tears before the top edge (fig. L-2) you should repeat this operation from the other corner of the door.

---once the gasket (287), has been removed the space above the pocket (fig. L-1) can house the rigid tooth (fig. C-1) of the gasket 900.


When you fit this gasket ensure that it lies flush against the edge for the full length of the door.

If the rigid tooth is difficult to fit, eliminate any residues of foam between the door and the inner door in the gasket area.

fig.5131549A

n1025101: Disappearing bulb thermostats (warning!)

The apparatus that provide for the thermostat to be threaded into a small tube located inside the fridge cabinet are noted as versions with "disappearing bulbs".



The bulb must be inserted for a length equal to the position indicated on the colored ribbon (small mark) which confirms the correct position of the bulb in the evaporation area, otherwise causing the poor performance of the apparatus. Therefore in cases of thermostat replacement it will be necessary to reset on the new, if missing, the same small mark position and always check that the thermostat bulb is completely devoid of the sheath so as to ease its insertion. The entrance of the small tube, placed in the thermostat container, is protected by a perforation cover in order to avoid the formation of condensation. The perforation cover was initially situated externally and could be substituted with putty or silicone. For the models with disappearing bulb thermostats, the spare parts are inclusive of the small colored marker, however check that its position corresponds to that on the thermostat that will be replaced. The spare part description always notes the position of the small marker in millimeters as well as the thermostat initials.

Example : 074519 = THERMOSTAT A13-0547 C. POST FASTEX (L.390)

n3010j01: ZMIANA KOLORU AKCESORIÓW WEWNĘTRZNYCH Z JASNOZIELONEGO NA PRZEZROCZYSTY

W modelach produkowanych w Carinaro-Manisa zmieniono kolor akcesoriów wewnętrznych z jasnozielonego na przezroczysty. Modyfikacja jest jednak funkcyjnie zamienna, po zakończeniu zapasów części w kolorze jasnozielonym, aktywowane zostaną zamienniki w kolorze przezroczystym.

Poniżej kompletna lista modeli których dotyczy modyfikacja:

OUT -----> IN
C00144374C00145254
C00256149C00256121
C00254417C00254347

C00144442C00195567
C00144401C00145578
C00144418C00086381
C00144423C00145250
C00119036C00090981
C00119544C00270987
C00145798C00145591
C00257608C00086382
C00144452C00145248
C00256152C00145246
C00144512C00145247
C00270614C00270975
C00270615C00270982
C00270613C00270984
C00254224C00144903
C00256484C00254375
C00254212C00143469
C00254213C00144899
C00268639C00086384
C00270707C00086596
C00144421C00195566

n3011b05: LIGHT BLUE WINE AREA REPLACED BY TRANSPARENT VERSION

LIGHT BLUE WINE AREA REPLACED BY TRANSPARENT VERSION