
















| TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS |          |           |            |    |  |  |  |
|-------------------------------------------------------------------------|----------|-----------|------------|----|--|--|--|
| Test conditions: CECOMAF (evap. temp. -25°C)                            |          |           |            |    |  |  |  |
| Verdichter/Compressor/Compresor                                         |          | Aspera    | Danfoss    |    |  |  |  |
| Typ/Type/Tipo                                                           |          | EMZs32CLC | TLX5.7KK.3 |    |  |  |  |
| Anlaufkondensator/Runing capacitor/Condensador de marcha                |          | YES       | YES        |    |  |  |  |
| Stromverbraucht/Current consumption/Int. consumo                        | A        | 0,26      | 0,28       |    |  |  |  |
| Leistungverbraucht/Power consumption/Potencia cons.                     | W        | 57,00     | 54,70      |    |  |  |  |
| C.O.P.                                                                  | W/W      | 1,29      | 1,28       |    |  |  |  |
| Kühlleistung/Cooling capacity/Potencia frigorífica                      |          | W         | 73         | 70 |  |  |  |
| Füllmenge/Fill. quantily/Charge/Carga                                   | R600a. g | *         | *          |    |  |  |  |

\* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características