

Balay




58300000115292 aet 000 b 1/4

### Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width




58300000115292 aet 000 b 2/4

## Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width



# Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width

Copyright  $\bigcirc$  ( 2020 ) by Balay / 205502



Klape Therm./Thermostat/Termostat	
Тур/Туре/Тіро	
Reglerstellung/Position/Conexión	_
Schaltwerte/Switching values/	ein/conex. ° <b>C</b>
Valeurs de commutation/Desconex.	aus"/descon.
(abtaven' od)	alarm'

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNICUES/DATOS TECNICOS			
	KF	GF	
Verdichter/Compressor/Compresseur/Compresor	LG	Danfoss	
Тур/Туре/Тіро	NDA 69NAEM	TLES9KK2	
Förderleistung/Delivery/Debit/Aspiración I/h	0440	0484	
Anlaufstromm/Starting current/Cour.démarrage/Int.arranque A	4,3	4,5	
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	31,9	16,5	
Hi/aux.	21,31	16,9	
Klape Therm./Thermostat/Termostat Typ/Type/Tipo Reglerstellung/Position/Conexión Schaltwerte/Switching values/ein/conex. °C Valeurs de commutation/Desconexaus"/descon. (abtaven' od)alarm'	kalt warm		
Fülmenge/Fill. quantily/Charge/Carga R600 g	30		
Anschlusswert/Comm. load/Puiss. Connect./Potenc. W	160		
Heizung/Heater/Chauflage/Resistenc.descong.			1
Widerstand/Resistance/Resistencia KW			
Leistung/Power/Puissance/Potencia W			
Ventilator/Blower/Ventilateur/Ventilador Widerstand/Resistance/Resistencia			

## Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width