




58300000107406 aet 000 d 1/4



58300000107406 aet 000 d 2/4





TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNICUES/DATOS TECNICOS		
Verdichter/Compressor/Compresseur/Compresor	ASPERA	
Тур/Туре/Тіро	NBU 1118Y	
Förderleistung/Delivery/Debit/Aspiración I/h		
Anlaufstromm/Starting current/Cour.démarrage/int.arrangue A		
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	13,6	
Hi/aux.	14,7	
Klape Therm./Thermostat/Termostat		
Тур/Туре/Тіро		
Reglerstellung/Position/Conexión	kalt warm	
Schaltwerte/Switching values/ein/conex.°C		
Valeurs de commutation/Desconexaus"/descon.		
(abtaven' od)alarm'		
	45	
Fülmenge/Fill. quantily/Charge/Carga R600 g	45	
Anschlusswert/Comm. load/Puiss. Connect./Potenc. W	150	
Heizung/Heater/Chauflage/Resistenc.descong.		
Widerstand/Resistance/Resistencia KW	Evapor.	
Leistung/Power/Puissance/Potencia W		
Ventilator/Blower/Ventilateur/Ventilador		
Widerstand/Resistance/Resistencia	KF	

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNICUES/DATOS TECNICOS		
Verdichter/Compressor/Compresseur/Compresor	ASPERA	
Тур/Туре/Тіро	NBU 1118Y	
Förderleistung/Delivery/Debit/Aspiración I/h		
Anlaufstromm/Starting current/Cour.démarrage/Int.arranque A		
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	13,6	
Hi/aux.	14,7	
Klape Therm./Thermostat/Termostat		
Тур/Туре/Тіро		
Reglerstellung/Position/Conexión	kalt warm	
Schaltwerte/Switching values/ein/conex.°C		
Valeurs de commutation/Desconexaus"/descon.		
(abtaven' od)alarm'		
Führenge/Fill guentilu/Charge/Cargo D600	45	
Fülmenge/Fill. quantily/Charge/Carga R600 g	40	
Anschlusswert/Comm. load/Puiss. Connect./Potenc. W	150	
Heizung/Heater/Chauflage/Resistenc.descong.		
Widerstand/Resistance/Resistencia KW	Evapor.	
Leistung/Power/Puissance/Potencia W		
Ventilator/Blower/Ventilateur/Ventilador		
Widerstand/Resistance/Resistencia	KF	

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNICUES/DATOS TECNICOS	
Verdichter/Compressor/Compresseur/Compresor	ASPERA
Тур/Туре/Тіро	NBU 1118Y
Förderleistung/Delivery/Debit/Aspiración I/h	
Anlaufstromm/Starting current/Cour.démarrage/Int.arranque A	
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	13,6
Hi/aux.	14,7
Klape Therm./Thermostat/Termostat	
Тур/Туре/Тіро	
Reglerstellung/Position/Conexión	kalt warm
Schaltwerte/Switching values/ein/conex.ºC	
Valeurs de commutation/Desconexaus"/descon.	
(abtaven' od)alarm'	
Fülmenge/Fill. quantily/Charge/Carga R600 g	45
Anschlusswert/Comm. load/Puiss. Connect./Potenc. W	150
Heizung/Heater/Chauflage/Resistenc.descong.	
Widerstand/Resistance/Resistencia KW	Evapor.
Leistung/Power/Puissance/Potencia W	
Ventilator/Blower/Ventilateur/Ventilador	
Widerstand/Resistance/Resistencia	KF