










0199





0197



0195







| TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS |        |            |            |            |            |  |
|-------------------------------------------------------------------------|--------|------------|------------|------------|------------|--|
| Test conditions: CECOMAF (evap. temp. -25°C)                            |        |            |            |            |            |  |
| Verdichter/Compressor/Compresor                                         |        | Danfoss    | Matsushita | Jiaxispera | Jiaxispera |  |
| Typ/Type/Tipo                                                           |        | NLX8.8KK.2 | DG91E      | ZBS1114CY  | ZBX1113CY  |  |
| Anlaufkondensator/Runing capacitor/Condensador de marcha                |        | YES        | NO         | YES        | YES        |  |
| Stromverbraucht/Current consumption/Int. consumo                        | A      | 0,37       | 0,64       | 0,46       | 0,40       |  |
| Leistungverbraucht/Power consumption/Potencia cons.                     | W      | 76,00      | 95,00      | 100,00     | 79,00      |  |
| C.O.P.                                                                  | W/W    | 1,49       | 1,20       | 1,33       | 1,44       |  |
| Kühlleistung/Cooling capacity/Potencia frigorífica                      | W      | 113        | 114        | 127        | 114        |  |
| Füllmenge/Fill. quantily/Charge/Carga                                   | R600a. | g          | *          | *          | *          |  |

\* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características