



58300000158782 aet 000 c 1/4

Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width




0195



58300000158782 aet 000 c 2/4


Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width




58300000158782 aet 000 c 3/4

Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width







TECHNISCHE DATEN / TECHNICAL DATA / DONNEES '

Test conditions: CECOMAF (evap. temp. -25°C)

Verdichter/Compressor/Compresor

Typ/Type/Tipo

Anlaufkondensator/Runing capacitor/Condensador de marc Stromverbraucht/Current consumption/Int. consumo Leistungverbraucht/Power consumption/Potencia cons. C.O.P.

Kühlleistung/Cooling capacity/Potencia frigorífica

Fülmenge/Fill. quantily/Charge/Carga

R600a.

* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características

5830000158782 aet 000 c 4/4

TECHNICUES / DATOS TECNICOS					
rcha A W W/W	Danfoss NLX8.8KK.2 YES 0,37 76,00 1,49	Matsushita DG91E NO 0,64 95,00 1,20	Jiaxipera ZBS1114CY YES 0,46 100,00 1,33	Jiaxipera ZBX1113CY YES 0,40 79,00 1,44	Jiaxipera NS1114Y YES 0,46 99,00 1,31
W	113	114	127	114	129
g	*	*	*	*	*

Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width

