


58300000169007 aet 000 a 1/4


Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width








Copyright \bigcirc (2021) by Balay /205502



58300000169007 aet 000 a 2/4


Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width


Copyright \bigcirc (2021) by Balay /205502



58300000169007 aet 000 a 3/4

Free-standing-refrigerator 2-door, Botto freestanding >= 60cm width





TECHNISCHE DATEN / TECHNICAL DATA / DONNEES

Test conditions: CECOMAF (evap. temp. -25°C)

Verdichter/Compressor/Compresor

Typ/Type/Tipo

Anlaufkondensator/Runing capacitor/Condensador de ma Stromverbraucht/Current consumption/Int. consumo Leistungverbraucht/Power consumption/Potencia cons. C.O.P.

Kühlleistung/Cooling capacity/Potencia frigorífica

Fülmenge/Fill. quantily/Charge/Carga R600a.

* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características

58300000169007 aet 000 a 4/4

ES TECHNICUES / DATOS TECNICOS					
narcha A W W/W	Danfoss NLX8.8KK.2 YES 0,37 76,00 1,49	Matsushita DG91E NO 0,64 95,00 1,20	Jiaxipera ZBS1114CY YES 0,46 100,00 1,33	Jiaxipera ZBX1113CY YES 0,40 79,00 1,44	Jiaxipera NS1114Y YES 0,46 99,00 1,31
W	113	114	127	114	129
g	*	*	*	*	*

