




Mat. – Nr. – Konstante
3740

Gebrauchsanweisung

58 2910
(de,en,fr,it,
nl,pt,es,el)


1) 16 9753

2) 17 2762


Mat. – Nr. – Konstante
3740


1) 17 2274

2) 35 9145



Mat. – Nr. – Konstante
3740





TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS		
	KF	GF
Verdichter/Compressor/Compresseur/Compresor	Danfoss	Danfoss
Typ/Type/Tipo	TLES7KK2	TLES9KK2
Förderleistung/Delivery/Debit/Aspiración l/h	1168	1589
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A	4,5	4,5
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	18,9	16,5
Hi/aux.	15,3	19,9
Temp.Reyler/Thermostat/Termostato		
Typ/Type/Tipo		
Reglerstellung/Position/Conexión		
Schaltwerte/Switching values/ ..ein/conex.°C		
Valeurs de commutation/Desconex. ..aus"/descon.		
(..abtaven' od) ..alarm'		
Füllmenge/Fill. quantily/Charge/Carga R600a g	19	40
Anschlusswert/Comm. load/Puiss. Connect./Potenc. W	70	90
Ventilator/Blower/Ventilateur		
Widerstand/Resistance Ohm		

Mat. – Nr. – Konstante
3740

- 1) 06 0013
- 2) 41 7899