


**BOSCH**KGS3720IE/02-V01  
KGS3720IE/03-V02KGS3720IE/04-V03  
KGS3720IE/05-V04KUEHL-,GEFRIERGERAETE  
Kuehl-,GefrierkombinationenIdent – Nummern – Konstante  
3740 . . . . .Gebrauchsanweisung  
52 4133  
(D,GB,F,NL,E,I,P,GR,  
PL)Montageanweisung  
52 4134  
(D,GB,F,NL,E,I,P,GR,  
PL,S,N,SF,DK)

- 1) 16 5417
- 2) 16 8427
- 3) 17 3715
- 4) 17 3711  
Verde
- 5) 17 3712  
Ambar
- 6) 17 3713  
Rojo




**BOSCH**


KGS3720IE/02-V01  
KGS3720IE/03-V02

KGS3720IE/04-V03  
KGS3720IE/05-V04

KUEHL-,GEFRIERGERAETE  
Kuehl-,Gefrierkombinationen



Ident – Nummern – Konstante  
3740 . . . . .

**BOSCH**KGS3720IE/02–V01  
KGS3720IE/03–V02KGS3720IE/04–V03  
KGS3720IE/05–V04KUEHL–,GEFRIERGERAETE  
Kuehl–,Gefrierkombinationen

| Pos. | V01                | V02,V03               | V04                | ****                  |
|------|--------------------|-----------------------|--------------------|-----------------------|
|      | Aspera<br>BMP1084Y | Matsushita<br>SD65E80 | Aspera<br>BPK1072Y | Gold Star<br>ND69NAEG |
| 1    | 14 1723            | 14 2003               | 14 2000            | 14 2001               |
| 2    | 15 4315            |                       | 15 4315            |                       |
| 3    | 16 7769            |                       | 17 3748            |                       |
| 4    |                    | 16 5229               |                    | 17 1011               |
| 5    |                    |                       |                    |                       |
| 6    | 26 4123            | 09 5320               | 26 4123            |                       |
| 7    | 05 0166            | 05 0166               | 05 0166            | 05 0166               |
| 8    | 28 8253            | 28 8253               | 28 8253            | 28 8253               |
| 9    |                    |                       |                    |                       |
| 10   |                    |                       |                    |                       |
| 11   |                    |                       |                    |                       |
| 12   |                    |                       |                    |                       |
| 13   |                    |                       |                    |                       |

| TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS                                                                                                                                                                            |                                                     |                                                     |                                                  |                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------------------|------------------------------------------------------------------------|
|                                                                                                                                                                                                                                              | V01                                                 | V02,V03                                             | V04                                              | ****                                                                   |
| Verdichter/Compressor/Compresseur/Compresor<br>Typ/Type/Tipo<br>Förderleistung/Delivery/Debit/Aspiración l/h<br>Anlaufstrom/Starting current/Cour.démarrage/Int.arranq. A<br>Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm<br>Hi/aux. | Aspera<br>BMP1084Y<br><br>3,60<br>29,60<br>38,50    | Matsushita<br>SD65E80<br><br>5,76<br>22,50<br>31,80 | Aspera<br>BPK1072Y<br><br>0,47<br>33,10<br>38,20 | Gold Star<br>ND69NAEG                                                  |
| Temp.Reyler/Thermostat/Termostato<br>Typ/Type/Tipo<br>Reglerstellung/Position/Conexión<br>Schaltwerte/Switching values/ ..ein/conex.°C<br>Valeurs de commutation/Desconex. ..aus"/descon.<br>(..abtaven' od) ..alarm'                        | Danfos<br>077B6181<br>MIN. MAX.<br>+6°<br>–11° –28° |                                                     |                                                  | Ranco<br>K54–L2006<br>MIN. MAX.<br>–14° –22°<br>–20° –28°<br>–10° –18° |
| Füllmenge/Fill. quantity/Charge/Carga R600a g                                                                                                                                                                                                | *                                                   | *                                                   | *                                                | *                                                                      |
| Anschlusswert/Comm. load/Puiss. Connect./Potenc. W                                                                                                                                                                                           | 71                                                  | 77                                                  | 79                                               | 83                                                                     |
| Heizung/Heater/Chauflage/Resistenc.descong.<br>Widerstand/Resistance/Resistencia Ohm<br>Leistung/Power/Puissance/Potencia W                                                                                                                  |                                                     |                                                     |                                                  |                                                                        |
| Ventilador/Blower/Ventilateur/Ventilador<br>Widerstand/Resistance/Resistencia Ohm                                                                                                                                                            |                                                     |                                                     |                                                  |                                                                        |
| Magnetventil/Magnetic valve/Electrovanne/Electrovalvula<br>Widerstand/Resistance/Resistencia Ohm<br>Spannung/Voltage/Tension/Tensión V                                                                                                       |                                                     |                                                     |                                                  |                                                                        |
| Temp.Reyler/Thermostat/Termostato ambiente para<br>ventilador refrigerador                                                                                                                                                                   |                                                     |                                                     |                                                  |                                                                        |

\* Siehe Typenschild / See identification plate / Voir plaque de caractéristiques / Ver plaqueta de características