






Ident – Nummern – Konstante
3740

Gebrauchsanweisung
58 6457
(de,en,fr,it,es,pt,el,nl)
58 6458
(sv,no,fi,da,pl,ro,hu,ru)

Montageanweisung
58 9156
(de,en,fr,it,es,pt,el,nl,cs,
no,fi,da,pl,ro,hu,ru)

- 1) 16 8766
Rep. Satz
- 2) 16 9176
- 3) 18 4426
- 4) 18 4428
- 5) 18 4433





Pos.	****			
	LG	Aspera		
	NDA62NAEG	EMU32CLC		
1	14 2000	14 2004		
2				
3				
4	17 1011	42 0759		
5				
6	49 0594	49 0596		
7	49 0755	49 0755		
8	43 2600	43 2600		
9	05 0166	05 0166		
10				
11				
12				
13				

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS					

Verdichter/Compressor/Compresseur/Compresor		LG		Aspera	
Typ/Type/Tipo		NDA62NAEG		EMU32CLC	
Förderleistung/Delivery/Debit/Aspiración l/h					
Stromm/Current (FLA)/Courant/Intensidad LMBP A		0,48		0,44	
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm		35,21		38,90	
Hi/sub/aux. Ohm		21,49		28,30	
Temp.Reyler/Thermostat/Termostato		Electronic. KS		Electronic. GS	
Typ/Type/Tipo		E2000 Komfort		E2000 Komfort	
Reglerstellung/Position/Conexión		MIN. MAX.		MIN. MAX.	
Schaltwerte/Switching values/ ..ein/conexión °C		11 1		-17,5 -25'5	
Valeurs de commutation/Desconex. ..aus"/desconex. °C		10 0		-18,5 -26,5	
(..abtaven' od) ..alarm' °C					
Verdampfersensor/Evaporator sensor/Sonda evaporador					
Schaltwerte/Switching values/ ..ein/conex. °C		4 4			
Valeurs de commutation/Desconex. ..aus"/descon. °C		— —			
Füllmenge/Fill. quantily/Charge/Carga R600a. g		*		*	
Anschlusswert/Comm. load/Puiss. Connect./Potencia W		71		71	
Heizung/Heater/Chauflage/Resistenc.descong.					
Widerstand/Resistance/Resistencia Ohm					
Leistung/Power/Puissance/Potencia W					
Ventilador/Blower/Ventilateur/Ventilador					
Widerstand/Resistance/Resistencia Ohm					
Magnetventil/Magnetic valve/Electrovanne/Electrovalvula					
Widerstand/Resistance/Resistencia Ohm					
Spannung/Voltage/Tension/Tensión V					
Temp.Reyler/Thermostat/Termostato ambiente para ventilador refrigerador					

* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características