




Mat. – Nr. – Konstante
3740


Gebrauchsanweisung

58 2910

(de,en,fr,it,
nl,pt,es,el)

1) 16 9753


2) 17 2225




Mat. - Nr. - Konstante
3740

1) 06 0083

Mat. – Nr. – Konstante
3740





TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS		
	KF	GF
Verdichter/Compressor/Compresseur/Compresor	Danfoss	Danfoss
Typ/Type/Tipo	TLES7KK2	TLES9KK2
Förderleistung/Delivery/Debit/Aspiración l/h	1168	1589
Anlaufstromm/Startling current/Cour.démarrage/Int.arranque A	4,5	4,5
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	18,9	16,5
Hi/aux.	15,3	19,9
Temp.Reyler/Thermostat/Termostato	RANCO	Danfoss
Typ/Type/Tipo	K59-L1901	077B2507
Reglerstellung/Position/Conexión	Kalt Warm.	Kalt Warm
Schaltwerte/Switching values/	-28 -14	-25 -17
Valeurs de commutation/Desconex.	..aus"/descon.	-33 -23
(..abtaven' od)	..alarm'	-19,5 -13
Füllmenge/Fill. quantily/Charge/Carga R600a	g	19 40
Anschlusswert/Comm. load/Puiss. Connect./Potenc.	W	70 90
Ventilator/Blower/Ventilateur		
Widerstand/Resistance	Ohm	

Mat. – Nr. – Konstante
3740