





KUEHL-GEFRIERGERAETE
Kuehl-Gefrierkombinationen




- 1) 17 2225
- 2) 17 2220
- 3) 17 2255
- 4) 17 2256
- 5) 17 2257
- 6) 17 2259
- 7) 17 2263
- 8) 06 0087

AET5830000078673000



- 1) 35 4998
- 2) 35 4997
- 3) 35 5001
- 4) 06 0083
- 5) 17 2275
- 6) 06 0115
- 7) 17 2274
- 8) 21 4940



TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS			
		KF	GF
Verdichter/Compressor/Compresseur/Compresor		Matsushita	Danfoss
Typ/Type/Tipo		SD65E67WBY	TLES9K
Förderleistung/Delivery/Debit/Aspiración l/h		1177	1584
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A		5,5	4,5
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm		29,8	16,5
Hi/aux.		31,8	16,9
Temp.Reyler/Thermostat/Termostato		Danfoss	Danfoss
Typ/Type/Tipo		077B6167	077B2272L
Reglerstellung/Position/Conexión		MIN MAX.	MIN MAX
Schaltwerte/Switching values/		° °	- -
Valeurs de commutation/Desconex.		..ein"/conex.°C	..aus"/descon.
(..abtaven' od)		..alarm'	
		-8° -24°	-20° -28°
			-15°
Füllmenge/Fill. quantily/Charge/Carga R600a		g	30
			50
Anschlusswert/Comm. load/Puiss. Connect./Potenc.		W	160
Ventilator/Blower/Ventilateur		KF-Ventilator	
Widerstand/Resistance		Ohm	1225