


**BOSCH**


KGU 44120 IE/01

KUEHL-,GEFRIERGERAETE
Kuehl-,GefrierkombinationenMat. – Nr. – Konstante
3740**Gebrauchsanweisung**52 9650
(de,en,fr,it,nl,
el,es,pt,ru,tr)

- 1) 17 2579
- 2) 17 2762
- 3) 17 2256
- 4) 17 2257
- 5) 06 0086

**BOSCH**

KGU 44120 IE/01

KUEHL-,GEFRIERGERAETE
Kuehl-,GefrierkombinationenMat. – Nr. – Konstante
3740

- 1) 17 2274
- 2) 06 0115

AET5830000079980000




BOSCH

KGU 44120 IE/01

KUEHL-,GEFRIERGERAETE
Kuehl-,Gefrierkombinationen

Mat. – Nr. – Konstante
3740




AET5830000079980000

Copyright © (2009) by Bosch / ESHOP_7_2

**BOSCH**

KGU 44120 IE/01

KUEHL-,GEFRIERGERAETE
Kuehl-,Gefrierkombinationen

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS

Verdichter/Compressor/Compresseur/Compresor	ASPERA		
Typ/Type/Tipo	NBT 1118Y		
Förderleistung/Delivery/Debit/Aspiración l/h	2574		
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A	—		
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	11.0		
Hi/aux.	16.4		
Klappe Therm./Thermostat/Termostat			
Typ/Type/Tipo			
Reglerstellung/Position/Conexión			
Schaltwerte/Switching values/ ..ein/conex.°C			
Valeurs de commutation/Desconex. ..aus"/descon.			
(..abtaven' od) ..alarm'			
Füllmenge/Fill. quantity/Charge/Carga R600	g	45	
Anschlusswert/Comm. load/Puiss. Connect./Potenc.	W	150	
Heizung/Heater/Chaufrage/Resistenc.descong.		Verdampfer	Ablaufrinne
Widerstand/Resistance/Resistencia	KΩ	0.38	1.4
Leistung/Power/Puissance/Potencia	W	145/230	37.5/230
			Luftkanal
			13.49
			4/230
Ventilador/Blower/Ventilateur/Ventilador		Verdichter	Verdampfer
Widerstand/Resistance/Resistencia	KΩ	0.61	0.41

Mat. — Nr. — Konstante
3740