




Mat. – Nr. – Konstante
3740

Gebrauchsanweisung
52 6394
(de,en,fr,it,nl,el,
es,pt,ru,tr)

52 8982
(en,fr)


52 8983
(tr,de)

52 8984
(el)

- 1) 17 2225
- 2) 17 2220
- 3) 17 2255
- 4) 17 2256
- 5) 17 2257
- 6) 17 2259
- 7) 06 0087
- 8) 17 2574
- 9) 06 0086

**BOSCH**

KGU 4421 IE/02

KUEHL-,GEFRIERGERAETE
Kuehl-,GefrierkombinationenMat. - Nr. - Konstante
3740

- 1) 06 0083
- 2) 17 2274
- 3) 06 0115

AET5830000079790000




BOSCH

KGU 4421 IE/02


KUEHL-,GEFRIERGERAETE
Kuehl-,Gefrierkombinationen

Mat. – Nr. – Konstante
3740



AET5830000079790000

Copyright © (2009) by Bosch / ESHOP_7_2



TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS			
Verdichter/Compressor/Compresseur/Compresor Typ/Type/Tipo Förderleistung/Delivery/Debit/Aspiración l/h Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm Hi/aux.	ASPERA NBT 1118Y 2574 — 11.0 16.4		
Klappe Therm./Thermostat/Termostat Typ/Type/Tipo Reglerstellung/Position/Conexión Schaltwerte/Switching values/ ..ein/conex.°C Valeurs de commutation/Desconex. ..aus"/descon. (..abtaven' od) ..alarm'			
Füllmenge/Fill. quantity/Charge/Carga R600 g	45		
Anschlusswert/Comm. load/Puiss. Connect./Potenc. W	150		
Heizung/Heater/Chaufrage/Resistenc.descong. Widerstand/Resistance/Resistencia Leistung/Power/Puissance/Potencia	Verdampfer 0.38 145/230	Ablaufrinne 1.4 37.5/230	Luftkanal 13.49 4/230
Ventilador/Blower/Ventilateur/Ventilador Widerstand/Resistance/Resistencia	Verdichter 0.61	Verdampfer 0.41	

Mat. – Nr. – Konstante
3740

1) 06 0182