










Mat. – Nr. – Konstante
3740

Gebrauchsanweisung
58 6424
(de,en,fr,it,nl,es,pt)
Montageanleitung
52 1893
Befestigungssatz
26 7361
Listerien Rep.Satz
41 7589





Pos.	V01,V02	V03	
	Matsushita	Danfoss	
	DGX 110 E	NLX11KK	
1	14 2360	14 4254	
2			
3	18 8959	42 6099	
4			
5	18 3590	15 0760	
6	41 8045	15 1072	
7	26 6624	26 6624	
8	41 9025		
9	05 0166	05 0166	
10	16 8603	15 2222	
11			
12			

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES			
Verdichter/Compressor/Compresseur		Matsushita	
Typ/Type		DGX 110 E	
Förderleistung/Delivery/Débit	l/h	1955	
Anlaufstrom/Starting current/Cour de démarrage	A	0,5	
Widerstand/Resistance/Résistance	Ω	14,7	
Hi/main/prin	Ω	27,3	
Hi/aux	Ω		
Temp.-Regler/Thermostat			
Typ/Type			
Regelstellung/Position			
Schaltwerte/Switching values	"warm"		
Valeurs de commutation	"kalt"		
	"alarm"		
Füllmenge/Fill.quantity/Charge	R600a	*	
Anschlußwert/Conn.load/Puiss. connectée	W	104	
Heizung/Heater/Chauffage			
Widerstand/Resistance/Résistance	Ω		
Leistung/Power/Puissance	W		
Ventilator/Blower/Ventilateur			
Widerstand/Resistance/Résistance	Ω		
Raumtemperaturfühler			
Widerstand NTC-Fühler			
Magnetventil/Magnetic valve/Electrovanne			
Widerstand/Resistance/Résistance	Ω		
Spannung/Voltage/Tension	V		

* siehe Typenschild