






Mat. – Nr. – Konstante
3740
Gebrauchsanweisung
59 0114
(de,en,fr,it,nl,es,pt)
59 6973
(da,no,sv,fi)
Montageanleitung
58 8075
Befestigungssatz
49 1365
Listerien Rep-Satz
41 7581
V02,V04,V06

1) Rep-Satz
42 0667
2) 16 9176
3) 17 1454
4) 17 1455
5) 18 3913





Pos.	V01		
	Matsushita		
	DGX 110 E		
1	14 2360		
2			
3	18 8959		
4			
5	18 3590		
6	41 8045		
7	26 6624		
8	41 9025		
9	05 0166		
10	16 8603		
11			
12			

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES			
Verdichter/Compressor/Compresseur		Matsushita	
Typ/Type		DGX 110 E	
Förderleistung/Delivery/Débit		l/h	1955
Anlaufstrom/Starting current/Cour de démarrage		A	0,5
Widerstand/Resistance/Résistance		Ha/main/prin	Ω 14,7
		Hi/aux	Ω 27,3
Temp.–Regler/Thermostat			
Typ/Type			
Regelstellung/Position			
Schaltwerte/Switching values		"warm"	
Valeurs de commutation		"kalt"	
		"alarm"	
Füllmenge/Fill.quantity/Charge		R600a	*
Anschlußwert/Conn.load/Puiss. connectée		W	104
Heizung/Heater/Chauffage			
Widerstand/Resistance/Résistance		Ω	
Leistung/Power/Puissance		W	
Ventilator/Blower/Ventilateur			
Widerstand/Resistance/Résistance		Ω	
Raumtemperaturfühler			
Widerstand NTC–Fühler			
Magnetventil/Magnetic valve/Electrovanne			
Widerstand/Resistance/Résistance		Ω	
Spannung/Voltage/Tension		V	

* siehe Typenschild