


**BOSCH**

KIV3235IE/01-V01
KIV3235IE/02-V02
KIV3235IE/42-V03

KIV3235IE/43-V04
KIV3235NE/41-V05

KÜHL-, GEFRIERGERÄTE
Kühlschränke, Einbau



Mat. – Nr. – Konstante
3740

Gebrauchsanweisung
51 2705
(D,GB,F,I,NL,E)

Montageanleitung
51 5436
(D,GB,F,I,NL,S,E,N)

Befestigungssatz
08 4136

Schraubensatz
08 8957


**BOSCH**

KIV3235IE/01-V01
KIV3235IE/02-V02
KIV3235IE/42-V03


KIV3235IE/43-V04
KIV3235NE/41-V05

KÜHL-, GEFRIERGERÄTE
Kühlschränke, Einbau

Mat. - Nr. - Konstante
3740



- 1) 02 2437
- 2) 02 6566
- 3) 08 8967
- 4) 08 6169
- 5) 02 9967
- 6) 08 7561
- 7) 08 7562

**BOSCH**KIV3235IE/01–V01
KIV3235IE/02–V02
KIV3235IE/42–V03KIV3235IE/43–V04
KIV3235NE/41–V05KÜHL-, GEFRIERGERÄTE
Kühlschränke, Einbau

Pos.	V01,V02	V03,V04,V05	
	Danfoss NLE 15 K	Danfoss NLE 15 K	
1	14 1311	14 1752	
2			
3	15 1055	15 1055	
4			
5	15 0760	15 0760	
6	15 1072	15 1072	
7	02 6731	02 6731	
8	28 1825	28 1825	
9	05 0166	05 0166	
10			
11	08 4744	08 4744	
12	05 6008	05 6008	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES

Verdichter/Compressor/Compresseur Typ/Type Förderleistung/Delivery/Débit Anlaufstrom/Starting current/Cour. de démarrage Widerstand/Resistance/Résistance		Danfoss NLE 15 K 2637			
		I/h			
		A			
		Ha/main/prin.	Ω		
		Hi/aux	Ω		
Temp.-Regler/Thermostat Typ/Type Reglerstellung/Position Schaltwerte/Switching values/ Valeurs de commutation		Ranco K59 kalt +4,5 -31,0		warm +4,5 13,5	
		°C			
		„ein“ „aus“ („abtauen“ od.)			
Füllmenge/Fill.quantity/Charge		R600a	g	55	
Anschlußwert/Conn.load/Puiss. connectée			W	150	
Heizung/Heater/Chauffage Widerstand/Resistance/Résistance Leistung/Power/Puissance			Ω W		
Ventilator/Blower/Ventilateur Widerstand/Resistance/Résistance			Ω	430 ± 10%	
Magnetventil/Magnetic valve/Electrovanne Widerstand/Resistance/Résistance Spannung/Voltage/Tension			Ω V		