




typ modelu:

RA24LEU

Kod handlowy:

F025102

Informacje Główne

Przewodnik Dokumentacji Technicznej


Możesz tutaj odnaleźć podstawowe informacje ułatwiające korzystanie z dokumentacji technicznej

1. Modele tej samej gamy posiadają wspólne rysunki, które przedstawiają najbogatszy zestaw części; generalnie wybrany model niekoniecznie posiadać będzie w spisie części wszystkie pozycje przedstawione na rysunku
 2. Niektóre części nie mogą być przedstawione bezpośrednio na rysunku (instrukcje użytkownika, zestawy montażowe itd.). Można je odnaleźć w liście części pod pozycją gdzie są zainstalowane lub pod pozycją 09
 3. W prawym górnym rogu każdego rysunku widnieje numer seryjny wskazujący początek produkcji danej gamy urządzeń. Niektóre modele mogą posiadać więcej niż jeden rysunek dla podanej kategorii, każdy inny dla różnych numerów seryjnych.
 4. Rysunki złożeniowe mogą wymagać dalszych uaktualnień po ich publikacji. Nowe części zostaną dodane do odpowiednich oznaczeń numerycznych rysunku. Oznaczenie kodowe modyfikacji rysunku zawarte jest w ostatnich 4 cyfrach numeru seryjnego przedstawionego w prawym górnym rogu rysunku.
 5. Lista części odnosząca się do danego rysunku zawiera spis części tylko dla wybranego modelu; dostępne są dodatkowe informacje dla każdej części.
- REF. Numer referencyjny do tabeli; SUBSTITUT: lista części które zastępują dany kod zachowując takie same charakterystyki funkcjonalne
- KOD HANDLOWY: lista wariantów modelu (pokazana w nazwie modelu) gdzie dana część jest zastosowana; UWAGA: kod informacji potrzebny do interwencji, prześledź zmiany aby poprawnie ustalić kod części
6. Niektóre notatki techniczne są ogólne dla danej sekcji, zatem nie mogą być związane tylko konkretną częścią. Aby poruszać się w dokumentacjach modelu sprawnie, pomocne jest czytanie notatek i monitorowanie uaktualnień dokumentacji.
 7. Okładka dokumentacji technicznej przedstawia model sprzętu oraz jego kod handlowy.

51420a0

rysunki

Matr. 10502.0002



51420A0

51420a0

Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
000	C00084410				user instruction book ra24		
001	C00083049				control panel-top cover		47251020000 47251020001
001	C00142361				control panel-top cover		47251020101 47251020102 47251020103
002	C00082960				pokrycie b27 74x20 ażurowe		47251020000 47251020001
002	C00142365				pokrycie pw 74x20 ażurowe		47251020101 47251020102 47251020103
003	C00082961				pokrycie 74x20 panel szafa białe		47251020000 47251020001
003	C00142366				pokrycie pw 74x20 ażurowe		47251020101 47251020102 47251020103
004	C00075565				sworzeń zawiasu górnego m8x3		
005	C00081644				zawias górny(m8) praw.-lew.	n1025102	
006	C00003261				skrobak do lodu (730412)		
007	C00019414				miseczka na lód 'do szuflady na		
008	C00053421				kratka freezer biał. lxp 424,5x290		
010	C00053478			1 x C00114624	zawias środkowy biały'bez		47251020000 47251020001
010	C00114624			1 x C00144850	zawias środkowy polar white	n1025157	47251020101
010	C00141794		60409...		zawias środkowy polar white		47251020101 47251020102
010	C00142756	60410...			zawias środkowy chrom.(240 lt)		
011	C00063874				taca szklana 472x304x8 (safety		
014	C00048475		61103...	1 x C00114786	pokrywa pojemnik na mięso biała		
014	C00114786		61203...	1 x C00199492	pokrywa pojem. na mięso		
015	C00081683		41103...	1 x C00095179	pojemnik na mięso kol-44		
015	C00095179		61203...	1 x C00194968	pojemnik na mięso błękitny		
016	C00082948			1 x C00086594	szkło pokrywy pojemn. na		
017	C00082954				profil pokrywy pojemn. na		
018	C00082949			1 x C00144901	pojemnik warzywa pwlxh		

51420a0


Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
019	C00082950				panel pojemnik na warzywa		
020	C00015745			1 x C00281425	sworzeń zawiasu m6x (5+14)		
021	C00053567				zawias dolny (m6) praw.-lew. zncr		
022	C00065434		90209...		docisk h=15 mm 'df230'	n2510i00	
023	C00053419				nóżka regulowana d.17,7x37,5		
026	C00017766		90210...		docisk h=18 mm 'df230'		
027	C00022198				skrobak do chłodziarki		
028	C00011286			1 x C00114785	nakładka na otwór biała d.4,5x8		47251020000 47251020001
028	C00114785				nakładka na otwór polarwhite		47251020101

51421h0

rysunki

Matr. 00601.0003



A= SERRATURA (LOCK)

51421H0

51421h0

Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
001	C00082958			1 x C00142364	pokrycie b27 59x35 wsp.drzwi		47251020000 47251020001
001	C00085303			1 x C00142559	pokrycie (lew.) górne drzwi białe	n1025112	47251020000 47251020001
001	C00142364				pokrycie pw 59x35 wsp.drzwi		47251020101 47251020102 47251020103 47251020104
001	C00142559				pokrycie (lew.) górne drzwi pw kit		47251020101 47251020102 47251020103 47251020104
002	C00082959			1 x C00142363	pokrycie b27 59x35 wsp.drzwi		47251020000 47251020001
002	C00142363				pokrycie pw 59x35 wsp.drzwi	n1025110	47251020101 47251020102 47251020103 47251020104
003	C00076539			1 x C00114690	pojemnik na jajka:6 szt.biały		
006	C00082955				pojemnik na jajka biały. 442x65		
008	C00082956				półka na butelki biały. 442x112		
009	C00082900	41123...		1 x C00114650	tulejka zamykanie drzwi lew biała	n1025102	47251020000 47251020001
009	C00082901	41123...		1 x C00114651	tulejka zamykanie drzwi praw	n1025102	47251020000 47251020001
009	C00114650	61230...		1 x C00115404	tulejka zamykanie drzwi lew		47251020101 47251020102
009	C00114651	61230...		1 x C00115405	tulejka zamykanie drzwi praw		47251020101 47251020102 47251020103 47251020104
009	C00115404				door stop bush lh - polar white		
009	C00115405				door stop bush rh white		
010	C00034618				plastic washer 12x6,4x2 mm -	n2507b00	
010	C00082425			1 x C00141581	drzwi chłodz.wypukł.biały.	0514012	47251020000

51421h0


Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
010	C00141581			1 x C00028928 1 x C00143325	drzwi chłodz.wypukł.pw.	n1025157 n2507b00	47251020101
010	C00143325				drzwi chłodz.wypukł.pw.	n2507b00	
011	C00042743			1 x C00141802	uszcz. drzwi chłodziarki biał.		47251020000 47251020001
011	C00141802				uszcz. drzwi chłodz. pw		
012	C00045903			1 x C00114784	zaticzka biał. do bus. h.14		47251020000 47251020001
012	C00114784				zaticzka polarwh (busolka h.14		47251020101 47251020102 47251020103 47251020104
013	C00022161		80421...		tulejka biała 4x15 mm		
013	C00023343				tulejka biała z		
013	C00024267	80422...			tulejka biała 7x21,5 mm		
014	C00082426			1 x C00141582	drzwi zamraż.wypukł.biał.	0514012	47251020000 47251020001
014	C00141582				drzwi zamraż.wypukł. pw		
015	C00083037			1 x C00142362	uszczel.drzwi freeze biał.		47251020000 47251020001
015	C00142362				uszczel.drzwi freeze pw		
016	C00082965			1 x C00141586	tabliczka znamionowa biała		47251020000 47251020001
016	C00141586				tabliczka znamionowa pw		47251020101 47251020102 47251020103 47251020104
022	C00028928				podkładka plastikowa biała		

5142220

rysunki

Matr .60108.0005



5142220

5142220

Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
001	C00048505				osłona żarówki (giugiaro)		
002	C00006522				żarówka 220-240v/15w (e14)		
004	C00007225				ekspander		
005	C00009888				cable clamp		
006	C00022048				blanking plug (10,6mm) - white		
007	C00066297			1 x C00142464	obsada termostatu b.27	n1025065	
009	C00048507				pokrętko termostatu biał.-nieb.		
011	C00058793				termostat k59-l4121 c.post fastex	n1025101	47251020000
011	C00064591			1 x C00143906	termostat 077b-6189 c.post (l.403)		47251020001
							47251020101
							47251020102
							47251020103
011	C00143901				termostat c.post 077b-6828		47251020104
							47251020204
							47251020205
014	C00046376				zbiorn.skropl. 215x148x25		
016	C00008598				kabel zasil.3x0,75 eu mm 2500		
016	C00216413				kabel zasil. 3x0,75 eu mm 2000		47251020104
							47251020204
017	C00141321				earth lead		47251020104
							47251020204
019	C00057383			1 x C00099798	kompraw. tecumseh thb1355ys	n1025138	47251020103
019	C00064450			1 x C00058964	kompresor asp. nbt1114z 220-		47251020000
019	C00066260			1 x C00063278	kompraw. tecumseh tw1368ys		47251020000
019	C00099798				compr.gvy57aa 220v/50 1/5hp-		47251020001
							47251020101
019	C00116906			1 x C00267545	kompresor thg1355mks 220-		47251020102
019	C00267545			1 x C00293583	compr. n1112y 140w 1/5hp r600		47251020104
							47251020204
019	C00275808			1 x C00267545	comp.hvm86ah r600 kit 135w		47251020205
							47251020305
020	C00028996				plastic washer (12x6,1x4,5 mm) -		
020	C00032453				guma amortyzatora 'embraco em-		
021	C00008471			1 x C00193590	fixing plate - compressor (750908)		
022	C00008727				rura doprowadzająca de.5,8x180		

5142220

Lista części

Ref.	kod	Od S/N	Do S/N	Zamiennik	opis	Notatka	kod
022	C00042354				rura doprowadzająca d.e.6x90		47251020000 47251020001 47251020101 47251020103
022	C00043021				rura lokring z zaworem (6 nfmssv)		47251020102
024	C00037341				anti vibration rubber bush		
025	C00042334			1 x C00266179	filtr tł.12 (d.1,95/d.4mm) gaz.		47251020000 47251020001 47251020101 47251020103
025	C00045265			1 x C00266179	filtr tł.12 (d.1,95/d.4mm) gaz.		47251020102
025	C00144122			1 x C00266179	filtr tł.10(d.1,9/4,9)r134-600		47251020104 47251020204
027	C00017827				kondensator 220v (h=800x535)		47251020000 47251020001 47251020101 47251020102
027	C00195630				kondensator 220v (h=810x530)		47251020103
028	C00058962				kondensator roboczy 3mf(ducati)		47251020000
028	C00144807				kondensator roboczy 4mf(ducati)		47251020102
028	C00266589				kondensator roboczy 4 mf (m8)		47251020001 47251020101 47251020103
029	C00046312				capacitor fixing plate (750908)		
033	C00043734				plate clamp - 80x22 compressor		
034	C00015332				przekładka kondensator		
035	C00066295				oprawka żarówki(vossloh)250v		
036	C00066294			1 x C00075585	włącznik światła 250v nc (eltek)		
037	C00066296				draż. przycis. biały(l.110)giugiario-		

Notatki

0514012: SEALS FOR DOORS FOAMED AS ONE PIECE

Various types of gaskets with different profile, as shown in figures (A) and (B), are used to fix the door (fig. A-5; B-5) and the inner door (fig. A-6; B-6) on the block foamed doors of combined freezers and refrigerators.

---Ilpea profile 245; 179; 412 (fig.A)

---Ilpea profile 287 (fig.B)

When replacing gaskets with profiles 245; 179; 412 these are fixed with screws (2 per corner) to the door.

Gaskets with profile 287 can not be used as spare parts but are designed to house the Ilpea type 900 gaskets (see figure C).

When replacing the gasket (287), once it is removed you will find a pocket (fig. B-1) between the door and inner door.

The rigid tooth (fig.C-1) of the gasket (900) is inserted inside between the pocket and the inner door, doing away with the need for screws.

Gasket with profile 287 is easy to identify since it has an exterior double edge (fig.B-2) which acts as a cushion when the door is closed.

To replace this gasket, follow these steps:

---Dismount the door and cut the four corners of the gasket along the joint (fig.D);

---lift the gasket and pull it carefully along its full length without tearing it (fig.E).

The purpose here is to detach the inner door slightly from the foam along the exterior edge for a depth equal to that of the gasket (fig.B-3);

---lift the corner of the inner door slightly, prising it up with your thumb (fig.F). Do not use a tool which might break the inner door;

---continue cutting the gasket inside the inner door for about 6 mm (fig.G);

---push in the tip of the pliers (type USAG N131) and pull outwards until you see the top edge of the pocket (fig. B-4) which is empty (fig.H-1);

---if you carry out this operation correctly (fig.L) you will be able to pull off the top edge of the pocket for the full length of the door.

If the gasket tears before the top edge (fig. L-2) you should repeat this operation from the other corner of the door.

---once the gasket (287), has been removed the space above the pocket (fig. L-1) can house the rigid tooth (fig. C-1) of the gasket 900.


When you fit this gasket ensure that it lies flush against the edge for the full length of the door.

If the rigid tooth is difficult to fit, eliminate any residues of foam between the door and the inner door in the gasket area.

fig.5131549A

n1025065: Giugiaro-Vossloh thermostat box kit (low Ambient Temp. +16°C)

As of February-2001 (serial no. 10201.0001), the "thermostat box KIT for low ambient temperatures" is being handled with part number 076283 and is to be used on Indesit brand double-door refrigerators that have the Giugiaro thermostat box fitted on them



(048503 - 066297).

The kit should be used exclusively to solve those problems obtained due to the poor performance of the freezer due to an ambient temperature below +16°C.

The kit is innovative, as it has a 6.6 Watt resistance fitted inside the thermostat box that should be activated by the toggle switch with a rubber protection situated underneath the thermostat knob. The switch is activated when the ambient temperature drops below +13°C (contacts closed. See the wiring diagram included in the kit).

This resistance heats up and enables the thermostat to be reactivated, thereby allowing the appliance to operate correctly.

On the thermostat box, the resistance is glued onto an aluminium plate (152x42) itself glued to the box.

When replacing the thermostat box, no components should be re-used, and this includes the wiring.

The wiring in the kit has terminals with fastons for connecting them to the compressor's terminal board; in the event of different solutions, then make the suitable adjustments as necessary.

Moreover, the thermostat box in the kit was obtained from the Giugiaro one (066229) with the Vossloh lamp holder and the Eltek switch. On this box, the position of the fixing hole was moved 15 mm up; therefore, on the models that are fitted with the Giugiaro thermostat box (048503), the hole on the cabinet should be remade before mounting the kit.

Moreover, on the models that use the hidden bulb thermostats, the position of the mark should be remade on the thermostat in the kit and, if necessary, the sheath protecting the bulb should be removed.

This is a list of the parts that make up the kit that are handled as spare parts:

New parts

- 066295 - LAMP HOLDER (VOSSLOH) 250V E14
- 066296 - GIUGIARO-VOSSLOH WHITE SWITCH ROD (L.110)
- 066294 - LIGHT SWITCH 250V NC (ELTEK)
- 048507 - WHITE-BLUE GIUGIARO THERMOSTAT KNOB
- 039131 - A13-0184/091X6483 CENTER POST THERMOSTAT
- 009888 - CABLE CLAMP
- 006522 - 220-240V/15W LAMP (E14)
- 048505 - LAMP COVER (GIUGIARO)
- 076442 - 6.5/7.7 W 220/240V RESISTANCE (FASTON)
- 032399 - TOGGLE SWITCH PROTECTION (21X15)
- 032395 - TOGGLE SWITCH 250V S.A1 (21X15)

n1025101: Disappearing bulb thermostats (warning!)

The apparatus that provide for the thermostat to be threaded into a small tube located inside the fridge cabinet are noted as versions with "disappearing bulbs".

The bulb must be inserted for a length equal to the position indicated on the colored ribbon (small mark) which confirms the correct position of the bulb in the evaporation area, otherwise causing the poor performance of the apparatus.

Therefore in cases of thermostat replacement it will be necessary to reset on the new, if missing, the same small mark position and always check that the thermostat bulb is completely devoid of the sheath so as to ease its insertion.

The entrance of the small tube, placed in the thermostat container, is protected by a perforation cover in order to avoid the formation of condensation. The perforation cover was initially situated externally and could be substituted with putty or silicone. For the models with disappearing bulb thermostats, the spare parts are inclusive of the small colored marker, however check that its position corresponds to that on the thermostat that will be replaced.

The spare part description always notes the position of the small marker in millimeters as well as the thermostat initials.

Example : 074519 = THERMOSTAT A13-0547 C. POST FASTEX (L.390)

n1025102: New upper fastener (081644) combined fridges / freezers - Indesit/2000 Melano.

From the month of May 2001 (registration no. 10531.0001) Melano / Setubal production modified the opening angle of the closing support small balancers from 40 to 49 degrees. The use of these new small balancers on combined fridges and freezers with a width of 600 in the Indesit 2000 range has diversified the upper fastener in respect to previous productions.

The new upper fastener 081644 may be mounted even with small balancers with angles of 40 degrees, but only on models produced after the month of October 2000 (see notice N1025086).

The small balancers with opening angles of 49 degrees may not be used on models produced prior to the month of October 2000 that used the upper fastener 075569 - 078903 (white) or 076613 (stainless steel) .

While their use is possible on productions after October 2000 substituting even the upper fastener with the new (you will need to replace the closing support small balancer on both doors : upper and lower compartments).

The small balancers with openings of 40 degrees may be mounted also with the new upper fastener but in this case the doors will have a smaller opening limiting the compartment shelf removal.

Even the Carinaro production has begun to use the new small balancers with the 49 degrees opening that are imperative for double door fridges with a width of 550 in the new Indesit 2001 range.

New Items (production commencement May 2001)

081644 - UPPER FASTENER(M8) RIGHT-LEFT CHROMED

082900 - DOOR CLOSURE SMALL BALANCER LEFT WHITE 49° DEGREES

082901 - DOOR CLOSURE SMALL BALANCER RIGHT WHITE 49° DEGREES

082894 - DOOR CLOSURE SMALL BALANCER LEFT GREY 49° DEGREES

082899 - DOOR CLOSURE SMALL BALANCER RIGHT GREY 49° DEGREES

075569 - UPPER FASTENER(M8) RIGHT-LEFT WHITE
076613 - UPPER FASTENER(M8) RIGHT-LEFT CHROMED
045906 - DOOR CLOSURE SMALL BALANCER RIGHT WHITE 40° DEGREES
045907 - DOOR CLOSURE SMALL BALANCER LEFT WHITE 40° DEGREES
046085 - DOOR CLOSURE SMALL BALANCER RIGHT GREY 40° DEGREES
046108 - DOOR CLOSURE SMALL BALANCER LEFT GREY 40° DEGREES

n1025110: Little lids for the door panel for the right opening version Indesit 2000 - 600 mm wide

From October 2001, little lids for door panel are available for the SAT code, to use on refrigerators and on combined-freezers (600mm wide), belonging to the series Indesit 2000, when the door opening is changed from right to left.

In fact, only on the product, which has the right hinges, the little lids of the piece of furniture are reversible; whereas those belonging to the door panel are specific for the right door opening.

The little lids for the version with left hinges are contained in specific coloured kit, which contain also the taps for closing the holes on a piece of furniture, which remain free on the opposite site of the central hinge.

It is important to remember that the holes to fix the central hinge are not present on the left site of the piece of furniture, when the door opening is converted. The holes are indicated only with a punching. The holes have been done after the work-ending with a 3mm bit

Kit of little lids for the door-panel of left version

084358 - WHITE KIT OF LEFT UPPER DOOR-COVERING
084361 - SILVER KIT VER-647 OF UPPPER LEFT DOOR-COVERING
084362 - BLUE KIT OF UPPER LEFT DOOR-COVERING
084363 - YELLOW KIT OF UPPER LEFT DOOR-COVERING
084364 - BEAVER-COLOURED KIT OF UPPER LEFT DOOR COVERING
084360 - ALUMINIUM-COLOURED KIT OF UPPER LEFT DOOR-COVERING

n1025112: Door panel covers for left-hand versions of the Indesit-2000 models with a width of 550 mm

From the month of December-2001 the small covers for the door panels, are available for the SAT, to be used on combined fridges and freezers (width 550) of the Indesit 2000 range when the door opening is changed from right to left.

In fact, on the product with the right-hand hinge, only the small covers of the cabinet panel are reversible while those of the door panel are specifically for the right-hand hinge of the door.

The small covers for the versions with the left-hand hinge are handled in Kit form specified per color, which also contain the taps to close the cabinet perforations which remain open on the opposite side of the central hinge.

Please note that in performing the reversibility of the door opening, the drill holes for fixing the central hinge are not present on the left-hand side of the cabinet, but only indicated with punching. The drill holes should be effected using a drill point of 3 mm.

Small covers Kit for left-hand version door panels:

085303 - COVER (LEFT-HAND) UPPER DOOR WHITE KIT
085304 - COVER (LEFT-HAND) UPPER DOOR SILVER-647 KIT
085305 - COVER (LEFT-HAND) UPPER DOOR BLUE KIT
085306 - COVER (LEFT-HAND) UPPER DOOR YELLOW KIT
085307 - COVER (LEFT-HAND) UPPER DOOR BROWN KIT
142559 - COVER (LEFT-HAND) UPPER DOOR PW KIT

n1025155: Produkcja chłodziarek 2-drzwiowych Indesit-55 (restyling 2005)

Od miesiąca października 05, zakład Carinaro rozpoczął produkcję chłodziarek Indesit szerokich-55 w nowym kolorze "polar white", który zastępuje kolor biały 27.

W tych modelach zmieniono kod przemysłowy (patrz symbol), lecz symbol (R24EU) oraz kod handlowy (25098) pozostały niezmienione.

(np. 47/25098.0001 = R24EU bianco-27 / 47/25098.0101= R24EU (polar white))

Zmiana koloru dotyczy tylko następujących części konstrukcyjnych oraz mających wpływ na estetykę zewnętrzną:

- Obudowa, panel na obudowie, pokrywy
- Zawias centralny, zatyczka do otworów
- Drzwi, uszczelnienia magnetyczne, tulejki, pokrywy

Jeśli chodzi o akcesoria wewnętrzne (kratki, profile, pojemniki na warzywa itp.) oraz na drzwiach wewnętrznych (półeczki, pojemniki na jajka, szuflady itp.) wszystko pozostało bez zmian.

Uwaga! Przy zamawianiu części zamiennych uważać na kod przemysłowy modelu.

Poniżej podajemy listę modeli Polar White:

47279150201 = R23 IT
47251030101 = R24 UK
47260100101 = R24EU
47250980101 = RA24 EU
47251020101 = RA24L EU
47277460201 = RA24 FR
47353960100 = RA25EU
47260710151 = R26 EU
47331110100 = RA26 FR
47251080151 = R28 EU

n1025157: Nowy zawias centralny dla chłodziarek dwudrzwiowych o pojemności 240 l

Od numeru 60123.0001 produkcja w Carinaro została zmieniona, w chłodziarkach o pojemności 240 l, obudowa, w której

wprowadzono nowy zawias centralny (patrz rysunek N1025158fig1) mocowany na panelu bocznym. Ponadto wysokość drzwi chłodziarki mieniono z 1030 mm na 1028.

Zawias może być odwrócony, lecz nie można go montować na modelach sprzed zmiany, w których zawias był mocowany na centralnej ramie obudowy. (patrz rysunek N1025157fig2).

Zmieniając sposób otwierania drzwiczki z prawostronnego na lewostronny nie należy odwracać zawiasu, tak jak poprzednio, lecz wystarczy przenieść go na lewą stronę.

W celu zamocowania należy nadal wykonywać otwór w obudowie po lewej stronie (patrz rysunek N1025157fig3).

Uwaga - Drzwi o wysokości 1028 mogą być używane w modelach sprzed zmiany przy zastosowaniu podkładki 2 mm (028928 - 034618 - 036775) na zawiasie dolnym.

Części objęte zmianą

141794 - ZAWIAS CENTRALNY POLAR WHITE (CARINARO)

142756 - ZAWIAS CENTRALNY CHROMOWANY

143328 - DRZWI CHŁODZIARKI BOMB/TEAK 540X1028X55 GIUGIARO

143327 - DRZWI CHŁODZIARKI BOMB.SILVER 540X1028X55 GIUGIARO

143326 - DRZWI CHŁODZIARKI BOMB.INOX 540X1028X55 GIUGIARO

143325 - DRZWI CHŁODZIARKI BOMB.PW 540X1028X55 GIUGIARO

Części wymienione

053838 - ZAWIAS CENTRALNY CHROMOWANY

053478 - ZAWIAS CENTRALNY BIAŁY



114624 - ZAWIAS CENTRALNY POLAR WHITE

084826 - DRZWI CHŁODZIARKI BOMB/TEAK 540X1030X55 GIUGIARO

083820 - DRZWI CHŁODZIARKI BOMB.SILVER 540X1030X55 GIUGIARO


094790 - DRZWI CHŁODZIARKI BOMB.INOX 540X1030X55 GIUGIARO

141581 - DRZWI CHŁODZIARKI BOMB.PW 540X1030X55 GIUGIARO




n2507b00: Zmniejszona wysokość drzwi chłodziarki Indesit 240-260 litrów

OLD 053838 - 053478 - 114624



NEW 141794 - 142760 - 142756



N1025158FIG1

W styczniu 2006 zmniejszono wysokość drzwi ch³odziarki z 1030 do 1028 mm, a nast³pnie w lutym 2007 wysokość ponownie zmniejszono do 1026 mm.

Aby montowaæ nowe drzwi o wysokoœci 1026 mm, nale¿y u¿yæ podk³adki 2 mm w ch³odziarkach o drzwiach 1028 oraz dwie podk³adki 2 mm w ch³odziarkach o drzwiach 1030.

Kod czêœci zamiennej podk³adki 2 mm to C00034618.

Zmiana wysokoœci z 1028 do 1026 nie spowodowa³a zmiany kodów czêœci zamiennych.

n2510i00: ADJUSTABLE FOOT CHANGED

Dimensions of the foot and its hole for fixing screw are changed to improve sytability of the product.