Satinelle - ICE







Philips Consumer Lifestyle

ServiceManual

PRODUCT INFORMATION

The new Satin Ice combinates a new ceramic epilating system with a contour following skin cooler and a massaging system.

Safety

- This product meets the requirements regarding interference suppression on radio and TV.
- After the product has been repaired, it should function properly and has to meet the safety requirements as officially laid down at this moment.

TECHNICAL INFORMATION

- Power Source	: AC (mains)		
- Voltage	: 100 V - 240 V		
	(50 - 60 Hz)		
- Motor	: DC - Motor 14 V		
- Power Consumption	: 7,5 W		
- Number of Discs	: 13		
- Number of catching points	: 24		
- RPM speed I	: 2200		
speed II	: 2700		
- Pulling actions/second			
speed I	: 880		
speed II	: 1080		

DISASSEMBLY- AND RE-ASSEMBLY ADVISE

- No specific issues.

REPAIR INSTRUCTION

- This is a replacement appliance. For this Epilator only the parts shown in the exploded view will be supplied.

Hints for repairs:

- No specific issues.

OPTIONAL (accessories)

- No specific issues.

PACKAGING

F-box dimensions

- Width	: 192 mm
- Depth	: 114 mm
- Height	: 235 mm

- Weight F-box : 0.639 kg

© Copyright reserved

Subject to modification



HP6501













Pos	Service code	Description
1	4203 035 91671	Repair Kit
2	4203 035 53920	Soothing Cap
3	4203 035 52580	Cooling Accu Legs
4	4203 035 52590	Protecting Sleeve
5	4822 479 30183	Cleaning Brush

Pos	Service code	Description
6	4203 035 51810	Adapter WEU
	4203 035 51900	Adapter GB
	4203 035 51850	Adapter UNI / TW / MX
	4203 035 51870	Adapter KOR
	4203 035 51860	Adapter AR
	4203 035 51830	Adapter CN

INSTRUCTION SHEET

HP6501

For Repair Kit 4203 035 91671

- 1. Exchanging gearwheel 3 and small cover on old epilation body:
 - Remove the small gearing cover.
 - Cut the edge, than you can remove the gear wheel 3.
 - Exchange the 2 parts with below 12 NC's.



4203 035 90860 Small cover

4203 035 54180 Gear wheel 3 new



2. Preparing the epilating head:

 Please use:

 4203 035 83110
 Service Epi Head HP6511

 4203 030 86120
 EPI-Head



