







Pos.	KF/ Refrig. Cooler	GF/ Cong. Freezer
1	0301	0306
2	0302	0307
3	0303	0308
4	0304	0309
5	0305	0310
6	0311	
7	0312	
8	0313	
9	0314	
10	0315	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS							
Test conditions: CECOMAF (evap. temp. -25°C)							
Verdichter/Compressor/Compresor		Aspera	Aspera	LG	Aspera	Danfoss	Danfoss
Typ/Type/Tipo		EMX20CLC	EMX26CLC	NDA62NAEG	EMU32CLC	TLY5.7KK.3	TLX5.7KK.3
Anlaufkondensator/Runing capacitor/Condensador de marcha		yes	yes	no	no	yes	yes
Stromverbraucht/Current consumption/Int. consumo	A	0,17	0,21	0,48	0,44	0,28	0,28
Leistungverbraucht/Power consumption/Potencia cons.	W	37,30	47,40	66,00	66,00	64,00	54,70
C.O.P.	WW	1,24	1,32	1,07	1,08	1,06	1,28
Kühlleistung/Cooling capacity/Potencia frigorifica	W	46	62	71	71	68	70
Füllmenge/Fill. quantity/Charge/Carga	R600a.	g	*	*	*	*	*

* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características