


SIEMENS

KS33U20IE/01-V01
KS33U20IE/03-V02
KS33U20IE/05-V03
KS33U20IE/08-V04


KÜHL-,GEFRIERGERÄTE
Kühlschränke, Stand



Gebrauchsanweisung
52 3472
(DE,GB,FR,IT,ES,PT,
GR,ND,DN,SE,NO,FI)

- 1) 17 1312
- 2) 17 1304
- 3) 35 5045
V01,
35 8632
V02,V03,V04
- 4) 17 1520
V01
26 8064
V02
26 8232
V03
26 8570
V04
- 5) 17 1564
V01,V02
17 3170
V03,V04
- 6) 17 1521
V01,V02,V03
17 6128
V04


AET5830000050903000



SIEMENS

KS33U20IE/01-V01
KS33U20IE/03-V02
KS33U20IE/05-V03
KS33U20IE/08-V04

KÜHL-,GEFRIERGERÄTE
Kühlschränke, Stand



Pos.	Danfoss		
	NLE9F		
1	14 1932		
2	16 5570		
3	35 4158		
4	16 3427		
5	26 5327		
6	17 1318		
7	17 1519		
8	17 2776		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER			
Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux.	Danfoss NLE9F 10.7/6.4 12.9 18		
Temp.Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Acma kapama degerleri Valeurs de commutation/Termostat degeri (..ablaven' od)	Elektronisch ..ein/acma °C ..aus'/kapama ..alarm'		
Füllmenge/Fill quantily/ Dolum miktarı	R134a	g	*
Anschlusswert/Comm. load/Giris gucu	W		*
Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc	Ohm W	Verdampfer 120	Ablaufrinne 20
Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans	Ohm	Verdampfer	
Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim	Ohm V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakınız

AET58300000050903000