


Mat. – Nr. – Konstante  
3740 . . . . .

Gebrauchsanweisung  
59 1139

V01

(DE,GB,ES,PT)

59 6365

V02

(DE,GB,ES,PT,IT)

1) 42 4798

2) 42 4340

3) 43 8726

4) 49 3812

5) 17 3865

6) 36 9905

7) 41 8165

8) 42 5515

9) 36 0816

10\42 1535

10)42 1535

11)42 4801

V01

42 0104

428

V02

12)44 0435


101

V01

44 30

Mod






Mat. - Nr. - Konstante  
3740 . . . . .

- 1) 42 4431
- 2) 42 0752
- 3) 36 3171
- 4) 49 1361
- 5) 42 5483
- 6) 49 4865
- 7) 49 4864
- 8) 18 8194
- 9) 18 8187
- 10) 49 4459
- V01
- 49 4877
- V02
- 11) 44 0125
- V01
- 44 0006
- V02
- 12) 43 9982
- V01
- 44 0009
- V02
- 13) 43 9981
- V01
- 44 0008
- V02
- 14) 24 1296
- V01
- 24 2328
- V02





|      | V01                   | V02     |  |
|------|-----------------------|---------|--|
| Pos. | Matsushita<br>DGX125E |         |  |
| 1    | 14 3603               |         |  |
| 2    | 42 0857               |         |  |
| 3    | 35 4583               |         |  |
| 4    | 16 3427               |         |  |
| 5    | 49 1245               | 49 4670 |  |
| 6    | 17 1318               |         |  |
| 7    | 17 1519               |         |  |
| 8    | 18 1014               |         |  |
| 9    |                       |         |  |
| 10   |                       |         |  |
| 11   |                       |         |  |
| 12   |                       |         |  |

| TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER                                                                                                                                                    |                                                                    |    |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|----|--|
| Verdichter/Compressor/Kompresör<br>Typ/Type/Tip<br>Förderleistung/Delivery/Verim/h<br>Anlaufstrom/Starting current/Giris akimi<br>Widerstand/Resistance/Rezistans Ha/<br>Hi/aux.                   | Matsushita<br>DGX125E<br><br>8<br><br>A<br>Ω                       |    |  |
| Temp.Reyler/Thermostat/Termostat<br>Typ/Type/Tip<br>Reglerstellung/Position/Termostat pozisyonu<br>Schaltwerte/Acma kapama degerleri<br>Valeurs de commutation/Termostat degeri<br>(..abtaven' od) | Elektronisch<br><br><br>..ein/acma °C<br>..aus"/kapama<br>..alarm' |    |  |
| Füllmenge/Fill. quantily/ Dolum miktarı                                                                                                                                                            | R600 g                                                             | 58 |  |
| Anschlusswert/Comm. load/Giris gucu                                                                                                                                                                | W                                                                  |    |  |
| Heizung/Heater/Rezistans<br>Widerstand/Resistance/Direnc<br>Leistung/Power/Guc                                                                                                                     | Ω<br>W                                                             |    |  |
| Ventilador/Blower/Vantilatör<br>Widerstand/Resistance/Rezistans                                                                                                                                    | Ω                                                                  |    |  |
| Magnetventil/Magnetic valve/Manyetik valf<br>Widerstand/Resistance/Rezistans<br>Spannung/Voltage/Gerilim                                                                                           | Ω<br>V                                                             |    |  |
| Temp.Reyler/Thermostat/Termostat                                                                                                                                                                   |                                                                    |    |  |

\* Siehe Typenschild/Mamul etiketine bakiniz