

taurus

FRE.TAU.PROFESSIONAL 3L (VER V)
Código 973946000
7HZ

Electrodomésticos TAURUS
Servicio Post-Venta


Freidora **Professional 3L (Ver V)**



taurus

FRE.TAU.PROFESSIONAL 3L (VER V)
Código 973946000
7HZ

Explosionado



taurus

FRE.TAU.PROFESSIONAL 3L (VER V)
Código 973946000
7HZ

Despiece



Contains several components.
See detail

083019000



Contains several components.
See detail

083020000



083021000



Contains several components.
See detail

083024000




Contains several components.
See detail

083025000




083026000



083027000



083028000



Contains several components.
See detail

083029000



083030000



083031000



Contains several components.
See detail

083032000



Contains several components.
See detail

083033000



083034000

Nº	CÓDIGO	DESCRIPCIÓN	UNID.
11 - 12 - 13 - 18	083019000	C.FRONTAL MANDOS PROF. (VER V) (7HZ)	1
9 - 11	083020000	BOTON MARCHA/PARO PROF. (VER V)(7HZ)	1
15	083021000	MICRORRUPTOR SEG.PROF. (VER V) (7HZ)	1
221 - 22	083024000	SOP./GRAPA BULBO PROF. (VER V) (7HZ)	1
	083025000	LAMPARA PILOTO PROF. (VER V) (7HZ)	1
16	083026000	TERMOSTATO SEG.PROF.2L (VER V) (7HZ)	1
14	083027000	TERMOSTATO SEG.PROF. (VER V) (7HZ)	1
20	083028000	CONEXIÓN RED PROF. (VER V) (7HZ)	1
1 - 2 - 3	083029000	C. TAPA SUPERIOR PROF.3L (VER V)(7HZ)	1
4	083030000	CESTA PROF.3L (VER V)(7HZ)	1
7	083031000	CUBETA ACEITE PROF.3L (VER V) (7HZ)	1
23 - 24 - 25 - 26 - 27	083032000	C.CUERPO PROF.3L (VER V) (7HZ)	1
5 - 6	083033000	C.BRAZO CESTA PROF.3/4L (VER V) (7HZ)	1
8	083034000	RESISTENCIA PROF.3L (VER V) (7HZ)	1
CA NJE	973953000	FRE. PROFESSIONAL 3 PLUS (4HD)	1

Nota informativa

Ecología y reciclabilidad del producto

En caso de proceder con la eliminación, ya sea de forma total o de alguna de las partes del producto, los residuos que se generen se deberán depositar por los medios adecuados a manos de un gestor de residuos autorizado para la Recogida selectiva de Residuos de Aparatos Eléctricos y Electrónicos.

En el caso de pilas/baterías estas deben depositarse en contenedores especiales autorizados o por los medios adecuados a través de un gestor de residuos.

Características Técnicas

Mod:	Professional 3L (Ver V)
Typ:	PROF3L(SV)
Voltaje	220-240V 50/60Hz
Potencia	2100W

Esquema Eléctrico

